



As evidências sugerem

TEMPORADA
7

EPISÓDIO #154

Síndrome de retirada de antidepressivos

ANDRÉ BOIN

A síndrome de retirada a antidepressivo é um tema que não deveria passar despercebido em nossos estudos e nossa prática clínica! Depois de quanto tempo da retirada da medicação ela pode aparecer? Como identifica-la e diagnostica-la? Qual a diferença entre a síndrome de retirada e uma recaída ou um novo episódio? Como trata-la? São muitos os questionamentos e recentes revisões sistemáticas têm mostrado que são mais prevalentes do que pensamos. No episódio 154 do PQU Podcast vou apresentar evidências e opiniões sobre a síndrome de retirada a antidepressivo, espero que você aproveite!

REFERÊNCIAS:

COSCI F, CHOUINARD G. Acute and Persistent Withdrawal Syndromes Following Discontinuation of Psychotropic Medications. *Psychother Psychosom.* 2020;89(5):283-306.

DAVIES J, READ J. A systematic review into the incidence, severity and duration of antidepressant withdrawal effects: Are guidelines evidence-based? *Addict Behav.* 2019 Oct;97:111-121.

FAVA GA, BENASI G, LUCENTE M, OFFIDANI E, COSCI F, GUIDI J. Withdrawal Symptoms after Serotonin-Noradrenaline Reuptake Inhibitor Discontinuation: Systematic Review. *Psychother Psychosom.* 2018;87(4):195-203.

HADDAD PM. Antidepressant discontinuation syndromes. *Drug Saf.* 2001;24(3):183-97.

HOROWITZ MA, TAYLOR D. Tapering of SSRI treatment to mitigate withdrawal symptoms. *Lancet Psychiatry.* 2019 Jun;6(6):538-546.

MICHELSON D, FAVA M, AMSTERDAM J, APTER J, LONDBORG P, TAMURA R, TEPNER RG. Interruption of selective serotonin reuptake inhibitor treatment. Double-blind, placebo-controlled trial. *Br J Psychiatry.* 2000 Apr;176:363-8.

ROSENBAUM JF, FAVA M, HOOG SL, ASCROFT RC, KREBS WB. Selective serotonin reuptake inhibitor discontinuation syndrome: a randomized clinical trial. *Biol Psychiatry.* 1998 Jul 15;44(2):77-87.

OUÇA PELA
SUA PLATAFORMA
PREFERIDA!



www.pqupodcast.com.br

